July 6, 2016 item #11

8 ZONING DIVISION



August 1, 2016 tem # 810
DEPARTMENT OF COMMUNITY SERVICES
PLANNING DIVISION
TOWN OF WEST HARTFORD
50 SOUTH MAIN STREET
WEST HARTFORD, CT 06107-2431
TEL: (860) 561-7555 FAX: (860) 561-7504
www.westhartford.org

PERMIT APPLICATION FOR: (check one of the following)

		_	
Lot Split	Special Use Permit	Site Plan	
Lot Line Revisions	Subdivision	Building Line	
SUP#1293 File# Application Fee_	370 Surcharge Fee	8 60. Date Received <u>5-20-16</u>	
Street Address 162 Shi	eld Street		1
Lot or Parcel #aka_138	Acreage/Lot Area	65 Zone <u>BG</u>	
Applicant's Interest in Property:	Tenant		
Brief Description of Proposed Ac	tivity: <u>Add 66</u>	scats of outdoor duig	
under newswing a	I roll dow curi	trus; add 10 scats under	existore hu
best of his/her knowledge and be constitutes permission and conse given the Connecticut Department	elief. Furthermore, the ent to Commission and t of Public Health must l	tained herein and in all supporting document e applicant agrees that submission of this do Staff inspections of the site. Note: Notice is be notified by applicants for any project located area. (CTDPH website at http://www.dph.state.	cument hereby within
West Hantford Ass Record Owner's Name	Pociates LP Her Applie	cator Ludena	
96 Sierra Francial	70 71/ Street	Son The Queher Lune	
400 Park Are NYCI	14 10012 We	A Heut Frod et 06110	
City State	Zip City	State Zip	
Telephone #	<u>E60</u> Telepl	<u>0 709 0515</u> hone #	
Contact Person: Hilary Donald Name	L'ARC Applie	ectu duncant's Signature	
91 South Main ST			
West Hartled CT C	Signal 2 <u>6/07</u> Zip	ture of Owner/Authorized Agent	
860 922 4723	•	carchitects.com	
Telephone #	E-Mail	U: sd/TPZ/Templates/PermitApplication_Aug2011	//
			7 15 15 V





July 25, 2016

Honorable Members of the Town Plan & Zoning Commission Town of West Hartford Town Hall Common 50 South Main Street West Hartford, CT 06107

RE: Application for a Special Use Permit to add Outdoor Dining at Cora Cora, 162 Shield Street, West Hartford, Connecticut 06110

Dear Honorable Members of the Town Plan & Zoning Commission:

Cora Cora restaurant, at 162 Shield Street, would like to add outdoor dining. Located in the former McDonald's in the Shield Street Plaza, Cora Cora is a stand-alone building surrounded by several acres of parking. The 62 seat restaurant features Peruvian cuisine and has a very devoted and passionate following. It also has no outdoor dining areas.

SUP Proposal

Cora Cora proposes:

- To add 40 seats along the east side of the restaurant; and
- To add a fixed awning with clear, roll-down sides to cover the east side tables.

The southeast corner of West Hartford features little in the way of pedestrian amenities. This part of town is characterized by the nearly impenetrable barrier of train tracks, a number of old industrial buildings, and several large shopping centers. Allowing Cora Cora to provide outdoor dining will be a positive step in the gradual transformation of this part of town from industrial to urban.

July 25, 2016 The Honorable Members of the Town Plan and Zoning Commission Page 2

177-37.2.

A. Space definition/ location

1. Cora Cora is the sole occupant of 162 Shield Street. It was originally a McDonald's restaurant with a drive thru lane and windows. As the Site Plan shows, Cora Cora has preserved the existing building and drive thru lane. While the drive thru lane is not currently in use, there is traffic on botht he east and west sides of the restaurant. However, the east side of Cora Cora is used primarily for ADA parking and not as a driveway to the retail stores to the south. It is this area where Cora Cora would like to add outdoor dining.

To provide comfort and safety in this location for its outdoor diners Cora Cora proposes to enclose the perimeter of the outdoor dining area with a 3'-0" tall painted aluminum fence set on aluminum tube posts approximately 5'-3" apart. Every other aluminum post will be 9'-8" tall to support an awning above. At each corner of the outdoor dining area, Cora Cora proposes to construct an 8"x6'-0"x 2'-0" tall brick wall. This wall will serve as both a visual and physical barrier to any vehicular traffic.

- 2. At present the outdoor dining area on the south is partially covered by a 4'-6" roof overhang. Cora Cora proposes to add a permanent awning extending out another 7'-8" from the building. This awning will be supported by an aluminum post and truss structure that will extend back to the main building roof. Attached to this structure will be a series of fabric and clear vinyl panels that will be rolled up in good weather but pulled down during times of cold and/ or wet weather.
- 3. There are no fire connections to 162 Shield Street, so there are no fire connection obstructions.
- 4. The 3'-0" railing meets the Liquor Control Board's standards.
- The outdoor dining area is flush with the existing restaurant interior and the adjacent roadbed.

B. Operations

- 1. The outdoor dining area will be fully capable of accommodating disabled patrons.
- The door to the outdoor dining areas has a self-closing mechanism.
- 3. Cora Cora has submitted plans of the proposed outdoor dining areas to the West Hartford Bloomfield Health District.
 - (a) The kitchen facilities are sufficient and adequate to service the restaurant and outdoor seating areas.
 - (b) At present, there are no outdoor service areas.
 - (c) Since there will be full table service for the outdoor seating area, all trash will be cleared by the wait staff. There will be no waste receptacles outside.
 - (d) The existing 2 water closets (1 per gender) are sufficient for the 62 seats inside and 40 seats outside (150 seats allowable).

July 25, 2016 The Honorable Members of the Town Plan and Zoning Commission Page 3

- 4. Cora Cora intends to add gas powered heating units for the outdoor dining. These heating units will be natural gas fueled using the existing gas supply to the restaurant and suspended from the awning structure. A copy of the specifications for the heating units has been forwarded to the West Hartford Fire Marshal.
- 5. Cora Cora would like to add 2 stereo speakers on the east side (southeast and northeast corners). These speakers will be for music only and will be set to meet the Town requirements of 45db in the evening and 55bd in the daytime. Standard conversation level is 60 decibels, with a whisper at 20 decibels.
- 6. All outdoor dining activities cease at 10:00 PM, which is the closing time for the restaurant. The restaurant does not open until 11:00 AM.
- 7. Other than service animals, no animals will be permitted in the outdoor dining area.
- 8. Cora Cora will light each table by means of lighting mounted above in the awning structure above and add battery powered lamps at each table as needed.

C. Maintenance

- 1. Cora Cora understands that cleanliness is critical to the success of the patio seating and will continue to maintain its facility at the highest of standards. While the tables are the responsibility of the wait staff, the outdoor dining area will be overseen by the restaurant manager on duty. Typically, a table will be cleared completely as soon as its customers leave. In busy times, a bus person is added to aid in clearing the area. Spills and drops will be cleaned immediately by either the wait staff or the bus boys. There is a wait station just inside the door that will be used to service the outdoor dining area.
- 2. Presently all trash is cleared by the wait staff. This policy will continue.
- 3. Cora Cora will use the existing overhang and new awning to shade patrons.
- 4. The tables will made of aluminum and the chairs will be made from wood stained vinyl caned seats and backs.
- During the off season, the outdoor furniture will be stored in the fenced-in storage area at the rear of the building. This storage area is sufficiently large to accommodate all the outdoor furniture.

Please feel free to call us with any questions you may have. Sincerely.

Hilary Donald, AIA, Principal

CC

- Elywhour

Mr. Hector Ludena, Cora Cora Sheldon Crosby, AIA, L'ARC Architects

LARC

91 SOUTH MAIN STREET, WEST HARTFORD, CT 06107

SPECIFICATIONS General Specifications Reting (Input: Natural and L.P. Ges) 0-4500 it elevation

Length 115 165 215	Length 5	DS-WC.
Imput (BTUHs) Mass 40.000 50.000 75.000	Imput (BTUNN:) Mass 40,000 75,000.	
MARIO SERRES MARIO DA. 20,000 DA. 25,000 SA. 37,500	34 DUTPUT SERES (p. 1861 1861 1861 1861 1861 1861 1862 1863 186	are at Manifold tion Size.
STANDARG Model PH-40A. PH-50A. PH-75A.	Model Ph-40HO Ph-75HO	Ges Press Natural Ges L.P. Ges Ges Come

Gas Index Pressurer.

Advantage 4.5°WC.

LP. 115°WC.

ING WC.

ING


Standard Equipment:
Variable frog temperature control panel modulating gas burnt
Variable frog temperature control panel modulating gas burnt
low noise combustion air blower, vieuse laumer trapocaton algot
low noise combustion air blower, vieuse daniel weeting allori modulation control. 100% sail
shiu of welver, if heat transical alumination radies are embler, a burnt
refeacts, the att economics to talkin, shanless steel hampers and
burner-head, decombine gril, indication light. Stanless steel
construction on High Output Serves.


Optional Equipment:

- Charlow let / 160 degree L'Bend lei for PH-50 and PH-75

- Samines Soel Redent Ember

- 34 Vell Invotres Supply





© A rights meaned, by part of this work herein may be insproduced or copied in any leam or by any means—graphic electronic, or mechanical, including photocopying, meaning, lapting or information islange and retired systems—without witten consent from CALCANA HIGHSTRES LTD. The information herein is becopying, meaning, lapting or information islange at any time without motion, 2010 - CALCANA HIGHSTRES LTD. The information herein is consent at the time of portion, but may be subject to change at any time without motion, 2010 - CALCANA HIGHSTRES LTD. The information herein is

Distributed by:

USA Colesan USA Ltd. 30245 Sulte A. County Rd 49 Lonky, Alaberra, 36551 Tel: 251-964-4400 Fer: 251-964-4404	1-900-773-6729 Websiles www.calcans.com emelt: seles@celcans.com
CANADA Calcana Industrias Ltd. 5607 - 6th Bt. B.E. Calgary, Albarta, Canada, 72H 1L II Tel: 403-777-0009 Fex: 403-777-0407	9-9 Windedally Washington



PLANKING & ZONING DIVISION CALCANA




CALCANA INFRARED HEATWAVE Calcana Custom Patio Heating Solutions


"MUSHROOM STYLE"

MORE FUEL LESS HEAT

MORE HEAT



Z











75,000 Btu Hr 10 Length





Experience a Calcana Heatwave on your patio today

DESIGN FEATURES INCLUDE:



No floor space is lost as units hang from existing trelis or other overhead structures. Units can also mount to walls at an angle suitable for long, narrow street side patio locations. OVERHEAD DESIGN:

Patent pending, variable input design provides the right level of heat output for each location VARIABLE INPUT BURNER:

5, 10, 15 & 20 foot lengths are available, Multiple units can be grouped together to achieve any length required. FOUR LENGTHS TO CHDOSE FROM:

which include wind, rain, snow and temperatures as low as —40°. For indoor applications, the units can be safely vertied Units are design certified to operate in outdoor environments CERTIFIED FOR OUTDOOR & INDOOR APPLICATIONS: through the wall or roof.

No palot lights to ignite by hand, no valves to turn, no thermo-couples to replace. By tusing a reliable, 2-17, direct spark, electronic, 100% safety shut off, ignition system, units safety and consistently operate in all types of weather with the fifted **EASY-LIGHT IGNITION SYSTEM:** of a switch. LOCAL OR REMOTE CONTROL: Heaters can be located Heaters can be oberated remotely, or controls can be located on the units.

LOW MAINTENANCE:

No ceramic parts to break, or replace. No thermocouples to replace. Emitter tubes do not glow cherry red, therefore are not Highly efficient reflectors capture the radiant energy, and direct it to the patio area. Heats more area with less fuel than any other fatigued to the point of premature failure. **ECONOMICAL TO OPERATE:**

High quality materials & workmanship eliminates metal fatigue and reflector warp or separation. Stainless Steel options are HEAVY DUTY CONSTRUCTION: style of patio heater available

NATURAL GAS OR PROPANE: Units available for use with either fuel.







Contact

Blog

Shop

Home

FLANTING & ZONING DIVISION

800-778-6729

Home Contact

Outdoor Heaters Shop Online History

Best Heater to Purchase

Testimonials

Features & Benefits

Model Selection
316 Stainless Steel

Heater Specifications
Clearance to Combustibles
Installation Manual

PH-Patio Heater End Profiles — Dimensions

PH-Overhead & Wall Mounting

Options - Dimensions

Outdoor Heaters' Specifications

Outdoor heater ratings (Input: natural gas and propane (LP gas) $0-4,500~\mathrm{ft}$ elevation in Canada and $0-2,000~\mathrm{ft}$ in the USA

Outdoor Heater Inputs (BTU/Hr)

Length 9 2 20, 10, ភ 40,000 50,000 75,000 40,000 75,000 Max 20,000 25,000 37,000 20,000 37,000 Z Z PH-75 (High Output Outdoor PH-40 (High Output Outdoor Outdoor Heater Model PH-40 Outdoor Heater PH-50 Outdoor Heater PH-75 Outdoor Heater Heater) Heater)

 Gas Pressure at Manifold:

 Natural Gas Outdoor Heater
 3.5" W.C.

 Propane Outdoor Heater (LP Gas)
 10.5" W.C.

 Gas Connection Size
 0.5" N.P.T.

PH-Plan Views - Dimensions

PH-Side Views - Dimensions

Gas Pressure Field Adjustment

Brochure (low) (high res)

Example Install (low) (high res)

Heater Reviews & News

Outdoor Heaters Gallery

Outdoor Heaters Blog

Customer Input

Free Freight Policy

Returns

Warranty

Terms & Conditions

Lead Time

Corporate & Commercial

Contractors & Wholesalers







Call now to order your

Gas Inlet Pressure:

Gas	Minimum	Maximum
Natural Gas Outdoor Heater	4.5" W.C.	14.0" W.C.
Propane Outdoor Heater (LP Gas)	11.5" W.C.	14.0" W.C.

Outdoor Heaters' Electrical Ratings:

DSI Ignition

120v, 60 Hz, 1 Amp/24 volt power supply

24 volt low voltage On/Off- Hi/Lo modulating control panel

Outdoor Heaters' Standard Equipment

economizer baffle, stainless steel hangers, decorative grille, indicator light, stainless steel burner head Burner control housing is preassembled and pre-wired, unit comes complete with industry standard glass, combustion and air proving safety switch, electronic 3-try spark ignition control, 100 percent gas, electrical, balanced air rotor, thermal overload protected motor, visual burner inspection sight aluminum standard reflector (HO models: stainless steel outdoor heaters), tube couplers, heat safety shut-off, low voltage control connection, 4" heat treated aluminized combustion tube, construction.

Outdoor Heaters' Mounting Options:

Stainless steel over-head or side-wall mounting brackets.







outdoor heaters

800–778–6729 (24 hours) or shop our online slore



Patio Heater USA 30201 County Rd. 49 Loxley, Al, 36551 Toll Free: 1-800-778-6729

Copyright @2015. All Rights Reserved . Web Services by Ipiece.com





3800-778-6729 2. ZONING D.J.SION

> Shop Ноте

Contact

Blog

Outdoor Heaters Clearance to Combustibles

Contact

Ноте

Outdoor Heaters

Shop Online


Best Heater to Purchase


History


Features & Benefits

Testimonials

(Refer to our outdoor heater's installation instructions for complete details.)







_ _د		25° to 45° Tilt
_	į Į	22

Installation Type 1 Input A B C D Input A B C 40 4 12 34 12 40 4 4 31 50 4 12 41 12 50 4 4 35 75 4 15 46 15 46 15 40 40 8 4 40 75 40 6 12 42 12 75 4 4 31 75 40 6 12 42 12 75 4 4 28							
A B C D Inp 4 12 34 12 40 12 4 15 41 12 50 4 15 46 15 75 8 17 41 17 40 1	pe 2	C	31	35	40	28	31
A B C D Inp 4 12 34 12 40 12 4 15 41 12 50 4 15 46 15 75 8 17 41 17 40 1	On Ty	В	4	4	4	4	4
A B C D Inp 4 12 34 12 40 12 4 15 41 12 50 4 15 46 15 75 8 17 41 17 40 1	tallati	۷	4	4	4	ထ	9
A B C 4 12 34 4 12 41 4 15 46 8 17 41 6 12 42	Ins	Input	40	50	75	40 HO	75 HO
A B C 4 12 34 4 12 41 4 15 46 8 17 41 6 12 42							
Input A B C 40 12 34 50 4 12 40 HO B 17 41 75 HO		۵	12	12	15	17	12
Input A B 40 12 50 4 12 75 40 HO B 17 75 HO B 17 75 HO B 17 75 HO 6 12	pe 1	ပ	34	41	46	41	42
Input A 40 40 4 75 HO 8	on Ty	8	12	12	15	17	12
1nput 40 50 75 40 HO 75 HO	tallati	4	4	4	4	æ	9
	Insi	Input	40	50	75	40 HO	75 HO

10put A B 40 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	C	31 28	-	40 31	28 25
HO 102 DET	ш	4	4	4	4
10put 40 50 75 70 HO	⋖	4	4	4	ထ
	Input	40	50	75	40 HO

PH-Overhead & Wall Mounting

Options - Dimensions

Clearance to Combustibles

Installation Manual

Heater Specifications

316 Stainless Steel

Model Selection

2

PH-Patio Heater End Profiles -**Dimensions**

PH-Plan Views - Dimensions

PH-Side Views - Dimensions

Gas Pressure Field Adjustment

Brochure (low) (high res)

Example Install (low) (high res)

Heater Reviews & News

Outdoor Heaters Gallery

Outdoor Heaters Blog

Customer Input

Free Freight Policy

Returns

Warranty

Terms & Conditions

Lead Time


Corporate & Commercial

Contractors & Wholesalers





Outdoor patio heaters clearance to combustibles for infrared heater



Calcana's design expertise is offered to all customers to ensure proper layout & performence.



http://paticheaterusa.com/outdoor-heaters-clearance.php

5/27/2016

Call now to order your outdoor heaters
800–778–6729 (24 hours) or shop our online store



Patio Heater USA 30201 County Rd, 49 Loxley, Al, 36551 Toll Free: 1-800-778-6729

Copyright @2015. All Rights Reserved . Web Services by ipiece.com





From:

Bob Proctor

Sent:

Monday, July 25, 2016 11:39 AM

To:

Catherine Dorau

Cc: Subject: Brittany Bermingham; Todd Dumais; Aimee Eberly; Elizabeth Lanteigne 162 Shield St., SUP#1293 - Outdoor Dining at Cora Cora, (Revised Plan)

Cathy,

We have completed our review of the revised plan calling for 40 outdoor seats at Cora Cora to be located along the south side of the restaurant. This is a reduction from the original proposed 76 outdoor dining seats.

The revised plan has been found acceptable as presented.

The proposed addition of two stereo speakers on the south side (southeast and southwest corners of the building) will have to operate in compliance with the Town of West Hartford Noise Ordinance.

Bob Proctor, RS
Environmental Health Coordinator
West Hartford Bloomfield Health District

From:

Bob Proctor

Sent:

Tuesday, July 05, 2016 12:12 PM

To:

Catherine Dorau

Cc:

Brittany Bermingham; Todd Dumais; Elizabeth Lanteigne; Aimee Eberly

Subject:

162 Shield At., SUP#1293 - Outdoor Dining at Cora Cora Restaurant

Cathy,

We have met with the owner, re-inspected the site, and again reviewed the Application for outdoor dining and are prepared accept a total of 40 seats for outside dining. No food or food products are to be stored in the outside storage area.

Once we receive and accept a modified plan for the seating arrangement we can act on the proposal.

Bob Proctor, RS
West Hartford Bloomfield Health District

July 6,2016 /item#2.

From:

Sheldon Crosby <sheldon@larcarchitects.com>

Sent:

Thursday, June 30, 2016 4:25 PM

To:

Todd Dumais

Cc:

Condor395@gmail.com; Hilary Donald; Catherine Dorau

Subject:

SUP #1293 Cora Cora



via email: Todd.Dumais@WestHartfordCT.go

Todd Dumais Town Planner Town of West Hartford Department of Community Services: Planning & Zoning Division 50 South Main Street | West Hartford CT 06107

By this email, my client, Cora Cora, requests that the Planning & Zoning Commission's consideration of application SUP#1293 be postponed from the July 6th, 2016 Agenda to its next regularly scheduled meeting. The reason for the request to is to address outstanding review comments from the West Hartford Bloomfield Health District. These comments will require the redesign and likely reduction in area and number of seats of the outdooring dining proposal.

If you have any questions please feel free to give me a call.

Sheldon Crosby, AIA L'ARC Architects

CC

Catherine Dorau Hilary Donald Hector Ludena

From:

Sheldon Crosby <sheldon@larcarchitects.com>

Sent: To: Wednesday, June 29, 2016 12:37 PM Catherine Dorau; Hilary Donald

Subject:

Cora Cora

Cathy:

Cora Cora and the health department met this morning. Without adding more cooler space, the health department will only support an additional 40 seats for outdoor dining. Cora Cora is unwilling to add more cooler space so we would be looking for only 40 outdoor dining seats. However, this will require a redesign which we will not be able to complete before Friday morning. Can we ask for a month's postponement? Thanks,

SC

Memorandum

To:

Cathy Dorau, Associate Planner

CC:

File

From:

Michael L. Sinsigalli, Assistant Chief of Loss Prevention

Date:

6/27/2016

Re:

Cora Cora, 162 Shield Street, SUP# 1293

Please be advised that review of the above noted site plan disclosed no areas of concern with fire apparatus accessibility or fireground operations.

Ref.

To:

Catherine Dorau

Subject:

FW: Cora Cora - Outdoor Dining - Special Use Permit #1293

From: Catherine Dorau

Sent: Monday, June 27, 2016 1:09 PM

To: Elizabeth Lanteigne <Liz.Lanteigne@WestHartfordCT.gov>

Cc: Todd Dumais < Todd. Dumais@WestHartfordCT.gov>; Brittany Bermingham

<Brittany.Bermingham@WestHartfordCT.gov>; Sheldon Crosby <sheldon@larcarchitects.com>; Hilary

<hilary@larcarchitects.com>

Subject: RE: Cora Cora - Outdoor Dining - Special Use Permit #1293

Elizabeth,

Just to confirm our phone conversation today... at the current time, the WHBHD has outstanding concerns. The contractor for Cora Cora has been in touch with you, and you're in the process of trying to meet on site sometime this week to go over those concerns.

This location has a 76 seat outdoor dining application before the Town Plan and Zoning Commission and there is a July 6th public hearing scheduled.

Please notify us if you meet with Cora Cora's representatives and whether the WHBHD is ok with the outdoor dining. They will need to postpone or continue their hearing if the WHBHD has not signed off on the outdoor dining.

Best Regards, Cathy

Catherine Dorau
Associate Planner
Town of West Hartford

Department of Community Services: Planning and Zoning Division

50 South Main Street, Room 214 | West Hartford, CT 06107 | ph 860.561.7554 | f 860.561.7504

From:

Catherine Dorau

Sent:

Monday, June 06, 2016 1:59 PM

To:

Hilary; Sheldon Crosby

Cc:

Todd Dumais; Brittany Bermingham

Subject:

FW: 162 Shield St., SUP#1293 - Outdoor Dining at Cora Cora Restaurant

Hilary/Sheldon,

Please see WHBHD comments below. These concerns should be addressed prior to the anticipated 7.6.16 public

hearing. Thank you, Cathy

Catherine Dorau

Associate Planner

Town of West Hartford

Department of Community Services: Planning and Zoning Division

50 South Main Street, Room 214 | West Hartford, CT 06107 | ph 860.561.7554 | f 860.561.7504

New Email: cdorau@westhartfordct.gov

From: Bob Proctor

Sent: Monday, June 06, 2016 1:42 PM

To: Catherine Dorau <cdorau@WestHartfordCT.gov>

Cc: Brittany Bermingham <Brittany.Bermingham@WestHartfordCT.gov>; Todd Dumais

<Todd.Dumais@WestHartfordCT.gov>; Elizabeth Lanteigne <Liz.Lanteigne@WestHartfordCT.gov>; Steve Huleatt

<SteveH@WestHartfordCT.gov>; Aimee Eberly <Aimee.Eberly@WestHartfordCT.gov>

Subject: 162 Shield St., SUP#1293 - Outdoor Dining at Cora Cora Restaurant

Cathy,

The Application for outdoor dining at Cora Cora has been reviewed and there is concern that additional food storage, along with increased cooler and freezer capacity would be necessary to properly service the requested increase in seating.

A plan addressing these issues must be submitted, reviewed and approved prior to our sign off on this project.

Any speaker system for the outside dining area will have to be operated in compliance with Town of West Hartford Noise Ordinance.

It is our understanding that the SUP proposal is to add a total of 76 seats of Outdoor Dining and a fixed awning with roll down sides.

The contact individual, at our office, will be Elizabeth Lanteigne (860-561-7900).

Bob Proctor RS

West Hartford Bloomfield Health District



MEMORANDUM

TO:

Todd Dumais, Town Planner

FROM: DINDuane J. Martin, P.E., Town Engineer

RE:

Special Use Permit

162 Shield Street, Cora Cora Restaurant

DATE:

June 2, 2016

The Engineering Division reviewed the Special Use Permit application for the proposed addition of outdoor dining at the Cora Cora restaurant at 162 Shield Street and has no comments. We find the application to be acceptable.

Kurt Weingartner

From:

Kurt <kweingartner53@comcast.net>

Sent:

Tuesday, March 22, 2016 12:18 PM

To:

Kurt Weingartner

Subject:

Fwd: Permission to add a Patio

Sent from XFINITY Connect Mobile App

-----Original Message-----

From: AssetManagement@sierraltd.com

To: kweingartner53@comcast.net

Cc:

Sent: 2016-03-22 11:24:18 GMT Subject: RE: Permission to add a Patio

Kurt,

Landlord is fine with it. Proceed as you so desire. Please make sure you abide by all city codes and ordinances of course. Thanks.

Respectfully,

James Porter

Asset Management Dept., Sierra Management Corp.

From: Kurt [mailto:kweingartner53@comcast.net]

Sent: Monday, March 21, 2016 9:17 PM

To: Asset Management <AssetManagement@sierraltd.com>

Subject: Permission to add a Patio

James - I am writing to get permission for Cora Cora to add a patio to the building at 162 Shield St-West

Hartford, CT. It would be on the

North side of the building and we would engage an architect for the job, but first I want to find out if it is a

possibility. Kurt